

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(phase near4 printerl) and (speed near4 control) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L2	0	(phase near4 printer) and ((speed near4 signal) near20 (cutter or cutting or blade)) and web and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L3	0	(phase near4 printer) and ((speed near4 signal) near20 (cutter or cutting or blade)) and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L4	0	(phase near4 printer) and ((signal) near20 (cutter or cutting or blade)) and web and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L5	0	("cut-and-space") near3 printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L6	0	("cut and space") near10 printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L7	0	(diaper or undergarment) and ("cut and space")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L8	0	(label) and ("cut and space")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L9	1	("6075178").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/02 01:00

L10	1	("5003876").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/02 01:00
L11	1	("5897541").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/02 01:00
L12	4	(phase near4 signal) and (printing or printer) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L13	5	(phase near4 signal) and ((wet or wetness) and (detector or indicator)) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L14	50	((wet or wetness) near10 (detector or indicator)) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L15	55	paragon.asn. and trade.asn. and diaper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L16	5	L15 and phase and indicator and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L17	4	(phase near4 signal) and (speed near4 signal) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L18	9	((("4955265") or ("5130290") or ("5235515") or ("5286543") or ("5383988") or ("5766389") or ("6297424") or ("6307119") or ("6558499")).PN.	USPAT	OR	OFF	2005/10/02 01:00
L19	25	(phase near4 signal) and (speed near4 signal) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00

L20	38	(phase near4 control) and (speed near4 control) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L21	5	(phase near4 printer) and (speed near4 control) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L22	43	(phase near4 signal) and (speed near4 signal) and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L23	80	(83/361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L24	88	(83/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L25	23	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L26	27	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and web and "83"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L27	10	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and web and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00

L28	24	(phase near4 signal) and ((signal) near20 (cutter or cutting or blade)) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L29	65	(156/64.ccls. or 156/353.ccls. or 156/361.ccls.) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L30	90	(rotary near10 print\$3) and (print\$2 near4 cylinder) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L31	9	(rotary near10 print\$3) and (print\$2 near4 cylinder) and (diaper or undergarment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L32	53	(print\$2 near4 cylinder) and (diaper or undergarment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L33	94	(print\$3 near4 rotary) and (diaper or undergarment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L34	2	((("5897541") or ("6075175"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/10/02 01:00
L35	54	(inductance near4 sensor) same (phase near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L36	10	(diaper or undergarment) and (label near3 applicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00

L37	5	(print\$2 near4 cylinder) and (idle near4 speed) and shutdown	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L38	2	("6,075,178").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L39	177	paragon.asn. and trade.asn. and diaper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L40	110	(phase near4 signal) and (speed near4 signal) and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L41	118	(101/481).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L42	124	(83/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L43	294	(101/486).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L44	226	(83/76).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00

L45	304	(diaper or undergarment) and ((indicator or graphic or image) near5 wetness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L46	374	(83/399).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L47	352	(83/400).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L48	566	(101/484).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L49	558	(101/485).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L50	1008	(156/361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L51	1411	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L52	2	(phase near4 signal) and ((wet or wetness) near10 (detector or indicator)) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00

L53	1	(phase near4 printer) and ((signal) near20 (cutter or cutting or blade)) and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L54	130	(rotary near10 print) and (diaper or undergarment or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L55	1	("cut-and-space") and web and "101"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L56	328	(rotary) and (diaper or undergarment) and (graphic or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L57	2	("cut-and-space") near10 printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L58	2	(diaper or undergarment) and ("cut-and-space")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L59	20	(print\$2 near4 cylinder) and (idle near4 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L60	464	(diaper or undergarment) and ((indicator) and wetness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00

L61	592	(diaper or undergarment) and ((indicator or graphic or image) and wetness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L62	2	(phase near4 encoder) and (line near4 encoder) and (diaper or absorbent) and "156"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L63	10	(phase near4 encoder) and (line near4 encoder) and (diaper or absorbent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 01:00
L64	494	(156/353).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L65	798	(156/384).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L66	1008	(156/361).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L67	793	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
L68	409	(156/543).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00

L69	138	(156/550).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 01:00
-----	-----	-----------------	---	----	-----	------------------